

RadEx Technology AS



Apollo Greenzyme®™ Application in 12 Wells in Indonesia

January 2007

Apollo Greenzyme Application in 12 Wells in Indonesia (Pekabyry)

Wells	Before		After	
	BOPD	% WC	BOPD	% WC
Pedada – 65	46	90	91	90
Butun – 09	65	92	90	89
BNA – 29	47	93	121	89
BNA – 28	40	98	95	96
Dusun - 04	68	98	89	97

Well # 16


WELL PRODUCTION PERFORMANCE AFTER AGZ APPLICATION
X COMPANY INDONESIAWELL : X # 16
PUMP TYPE : ESP GC - 4100

DATE	BEFORE AGZ			AFTER AGZ			GAIN BBL/D	TOTAL DAYS	TOTAL GAIN BBLS	CUMM GAIN	REMARKS
	BFPD	BOPD	WC %	BFPD	BOPD	WC %					
12/20/03	2538	101	95								
12/31/03				1930	116	94	15	1	15	15	
01/01/04				2470	198	92	97	1	97	112	
01/02/04				2535	177	93	76	1	76	188	
01/03/04				2844	171	94	70	1	70	258	
01/04/04				2654	159	94	58	1	58	316	
01/05/04				2438	122	95	21	1	21	337	
01/27/04				2666	107	96	6	22	292	629	
01/31/04				2301	115	95	14	4	39.38	668	
02/06/04				2437	122	95	21	6	104.7	773	
02/18/04				2470	124	95	23	6	130.05	903	
03/01/04				2313	116	95	15	12	225	1128	
03/27/04				2272	114	95	13	13	182	1310	
04/15/04				2393	120	95	19	19	304	1614	
04/28/04				2471	124	95	23	13	299	1913	
05/12/04				2829	141	95	40	14	441	2354	
05/26/04				2632	158	94	57	14	679	3033	
06/10/04				2666	160	94	59	15	870	3903	
06/20/04				2744	165	94	64	10	615	4518	
06/25/04				2902	232	92	131	5	655	5173	
07/02/04				2785	223	92	122	7	1116	6289	
07/07/04				2634	211	92	110	5	580	6969	
07/19/04				2148	172	92	71	12	1086	7955	
08/10/04				2632	132	95	31	22	1122	9077	
08/30/04				2648	175	93	74	21	1102.5	10179	
09/26/04				1900	129	95	28	26	1326	11505	
10/26/04				2400	116	96	15	30	645	12150	
11/26/04				1900	114	95	13	30	420	12570	

12/31/04				1900	112	95	11	35	420	12990	
							TOTAL	347		12990	

Production Increase : 37.06 %

Well # 16



Well # 29


WELL PRODUCTION PERFORMANCE AFTER AGZ APPLICATION X COMPANY INDONESIA

WELL : X # 29
 PUMP TYPE : ESP 1300 - 128 - 50 HP
 PUMP SET : 2150 FT

DATE	BEFORE AGZ			AFTER AGZ			GAIN BBL/D	TOTAL DAYS	TOTAL GAIN BBLs	CUMM GAIN	REMARKS
	BFPD	BOPD	WC %	BFPD	BOPD	WC %					
08/14/06	699	42	94								
08/02/06				1133	91	92	49	1	49	44	
08/03/06				1126	79	93	37	1	37	86	
08/04/06				1152	91	93	49	1	49	135	
08/05/06				1008	60	94	18	1	18	153	
08/06/06				1111	78	93	36	1	36	189	
08/07/06				1193	119	90	77	1	77	266	
08/08/06				1104	121	89	79	1	79	345	
08/10/06				1152	127	89	85	2	154	499	
							TOTAL	9		499	

Production Increase : 132.01 %

Well # 29



Well # 02 Pump 1850

WELL PRODUCTION PERFORMANCE AFTER AGZ APPLICATION X COMPANY INDONESIA

WELL : X # 02

PUMP TYPE : ESP 1300 - 128 - 50 HP

PUMP SET : 1850 FT


DATE	BEFORE AGZ			AFTER AGZ			GAIN BBL/D	TOTAL DAYS	TOTAL GAIN BBLs	CUMM GAIN	REMARKS
	BFPD	BOPD	WC %	BFPD	BOPD	WC %					
10/13/05	1256	38	97								
10/30/05				2016	323	84	285	1	285	285	
10/31/05				2105	189	91	151	1	151	436	
11/01/05				1962	177	91	139	1	139	575	
11/02/05				1896	171	91	133	1	133	708	
11/03/05				1908	172	91	134	1	134	842	
11/04/05				1896	171	91	133	1	133	975	
11/05/05				1872	168	91	130	1	130	1105	
11/06/05				1848	166	91	128	1	128	1233	
11/07/05				1805	162	91	124	1	124	1357	
11/08/05 - 11/11/05				1848	166	91	128	3	378	1735	
11/25/05				1680	151	91	113	14	1687	3422	
12/16/05				840	67	92	29	23	1633	5055	
01/11/06				1152	58	95	20	27	661.5	5716.5	
01/12/06				1248	62	95	24	1	24	5740.5	
01/14/06				1200	60	95	22	2	46	5786.5	
01/23/06				1152	58	95	20	9	189	5975.5	
02/20/06				1176	71	94	33	28	742	6717.5	
03/07/06				1152	69	94	31	15	480	7197.5	
03/14/06				1128	68	94	30	7	213.5	7411	
03/21/06				1152	69	94	31	7	213.5	7624.5	
04/03/06				1152	92	92	54	13	552.5	8177	
04/22/06				1104	88	92	50	19	988	9165	
04/30/06				1080	86	92	48	8	392	9557	
05/01/06 - 05/02/06				1056	84	92	46	1	46	9603	
05/10/06				1032	83	92	45	8	364	9967	
05/31/06				984	79	92	41	21	903	10870	
06/07/06				972	78	92	40	7	283.5	11153.5	
06/15/06 - 06/21/06				984	79	92	41	14	567	11720.5	

Well # 02 Pump 1850

07/02/06				912	73	92	35	11	418	12138.5	
08/04/06				876	70	92	32	33	1105.5	13244	
08/14/06				864	69	92	31	10	315	13559	
08/19/06				888	71	92	33	5	160	13719	
08/30/06				840	67	92	29	11	341	14060	
09/06/06				864	86	90	48	7	269.5	14329.5	
							TOTAL	313		14329.5	

Production Increase : 120.47 %

Well # 02 Pump 1850



SOURCE : (WELL TEST REPORT DATA K COMPANY)

Well # 65

WELL PRODUCTION PERFORMANCE AFTER AGZ APPLICATION X COMPANY INDONESIA


WELL : X # 65
PUMP TYPE : ESP 750 - 75 - 30 HP
PUMP SET : 530 FT

DATE	BEFORE AGZ			AFTER AGZ			GAIN BBL/D	TOTAL DAYS	TOTAL GAIN BBLs	CUMM GAIN	REMARKS
	BFPD	BOPD	WC %	BFPD	BOPD	WC %					
12/20/05	456	46	90								
01/15/06				960	144	85	98	1	98	98	
01/16/06				920	138	85	92	1	92	190	
01/17/06				922	138	85	92	1	92	282	
01/18/06				915	119	87	73	1	73	355	
01/19/06				922	111	88	65	1	65	420	
01/20/06				930	93	90	47	1	47	467	
01/21/06				926	93	90	47	1	47	514	
01/22/06				910	91	90	45	1	45	559	
01/23/06				910	91	90	45	1	45	604	
02/21/06				912	91	90	45	39	1755	2359	
03/13/06				936	84	91	38	20	830	3189	
03/20/06				954	86	91	40	7	273	3462	
04/07/06				919	83	91	37	18	693	4155	
04/27/06				997	90	91	44	20	810	4965	
05/09/06				912	91	90	45	12	534	5499	
06/07/06				912	91	90	45	28	1260	6759	
06/15/06				891	89	90	43	8	352	7111	
07/02/06				900	90	90	44	17	739.5	7850.5	
08/03/06				888	89	90	43	32	1392	9242.5	
09/03/06				984	98	90	52	31	1472.5	10715	
							TOTAL	241		10715	

Production Increase : 96.65 %

Well # 65

X COMPANY INDONESIA
 Production Performance X # 65
 Period January 1, 2006 - September 3, 2006



Well # 28


WELL PRODUCTION PERFORMANCE AFTER AGZ APPLICATION X COMPANY INDONESIA

WELL : X # 28
 PUMP TYPE : ESP 2000 - 95 - 120 HP
 PUMP SET : 2041 FT

DATE	BEFORE AGZ			AFTER AGZ			GAIN BBL/D	TOTAL DAYS	TOTAL GAIN BBLs	CUMM GAIN	REMARKS
	BFPD	BOPD	WC %	BFPD	BOPD	WC %					
09/27/05	1920	58	97								
10/11/05				2376	143	94	85	1	85	85	
10/12/05				2304	115	95	57	1	57	142	
10/13/05				2400	120	95	62	1	62	204	
10/14/05				2232	112	95	54	1	54	258	
10/15/05				2349	117	95	59	1	59	317	
10/16/05				2342	141	94	83	1	83	400	
10/17/05 - 10/31/05				2359	142	94	84	15	1252.5	1652.5	
11/11/05				2256	113	95	55	11	764.5	2417	
12/09/05				2496	100	96	42	28	1358	3775	
12/21/05				2304	92	96	34	13	494	4269	
01/03/06				2271	91	96	33	14	469	4738	
01/13/06				2376	95	95	37	11	385	5123	
02/10/06				2304	69	97	11	30	720	5843	
03/04/06				2431	73	97	15	23	299	6142	
04/11/06 - 05/30/06				2246	67	97	9	50	600	6742	
06/07/06				2232	67	97	9	8	72	6814	
06/16/06				2160	65	97	7	9	72	6886	no more gain
08/18/06				2592	52	98	-6	63	31.5	6917.5	
09/05/06				2520	50	98	-8	18	-126	6791.5	
							TOTAL	218		6886	

Production Increase : 54.46 %

Well # 28



Well # 30


WELL PRODUCTION PERFORMANCE AFTER AGZ APPLICATION X COMPANY INDONESIA

WELL : X # 30
 PUMP TYPE : ESP 2000 - 66 - 60 HP
 PUMP SET : 550 FT

DATE	BEFORE AGZ			AFTER AGZ			GAIN BBL/D	TOTAL DAYS	TOTAL GAIN BBLs	CUMM GAIN	REMARKS
	BFPD	BOPD	WC %	BFPD	BOPD	WC %					
02/03/06	1507	75	95								
02/20/06				2516	25	99	-	-	-	-	Fill in Hole
02/21/06				2472	25	99	-	-	-	-	Fill in Hole
02/27/06				2347	117	95	42	6	252	252	
03/01/06				2381	119	95	44	2	86	338	
03/08/06				2352	118	95	43	7	304.5	642.5	
03/31/06				2384	119	95	44	23	1000.5	1643	
04/02/06				2400	120	95	45	2	89	1732	
05/07/06				2496	125	95	50	31	1472.5	3204.5	
06/07/06				2496	100	96	25	30	1125	4329.5	
06/15/06				2400	96	96	21	8	184	4513.5	
07/09/06				2520	101	96	26	24	564	5077.5	
08/02/06				2118	85	96	10	24	432	5509.5	
09/09/06				1848	129	93	54	37	1184	6693.5	
							TOTAL	194		6693.5	

Production Increase : 46.00 %

Well # 30



Well # 22


WELL PRODUCTION PERFORMANCE AFTER AGZ APPLICATION
X COMPANY INDONESIA

WELL : X # 22
 PUMP TYPE : ESP 2000 - 71 - 80 HP
 PUMP SET : 1800 FT

DATE	BEFORE AGZ			AFTER AGZ			GAIN BBL/D	TOTAL DAYS	TOTAL GAIN BBLs	CUMM GAIN	REMARKS
	BFPD	BOPD	WC %	BFPD	BOPD	WC %					
04/12/06	1766	54	97								
05/05/06				2016	20	99	-	-	-	-	Fill in Hole
05/06/06				2064	21	99	-	-	-	-	Fill in Hole
05/07/06				1800	36	98	-	-	-	-	Fill in Hole
05/08/06				1843	55	97	1	1	0.5	1	
05/10/06				1769	71	96	17	1	9	17	
05/12/06				1789	89	95	35	1	26	35	
05/13/06				1810	91	95	37	1	36	37	
05/14/06				1872	112	95	58	1	47.5	58	
05/15/06				1757	88	95	34	1	46	34	
05/22/06				1755	53	97	0	7	119	0	
05/31/06				1728	52	97	52	9	234	234	
06/07/06				1728	52	97	52	7	364	598	
06/15/06				1776	53	97	53	8	420	1018	
06/26/06				1536	77	95	77	19	1235	2253	
07/12/06				1680	67	96	67	16	1152	3405	
07/31/06				1696	68	96	14	19	769.5	4174.5	
08/06/06				1656	66	96	12	6	78	4252.5	
							TOTAL	97		4252.5	

Production Increase : 79.81 %

Well # 22



Well 02 Pump # 1892

WELL PRODUCTION PERFORMANCE AFTER AGZ APPLICATION X COMPANY INDONESIA

WELL : X # 02
PUMP TYPE : ESP 3100 - 46 - 80 HP
PUMP SET : 1892 FT

DATE	BEFORE AGZ			AFTER AGZ			GAIN BBL/D	TOTAL DAYS	TOTAL GAIN BBLs	CUMM GAIN	REMARKS
	BFPD	BOPD	WC %	BFPD	BOPD	WC %					
10/27/05	2408	72	97								
11/08/05				2688	27	98	-	-	-	-	Fill in Hole
11/09/05				3023	151	95	79	1	79	79	
11/10/05				3043	122	96	50	1	50	129	
11/11/05				3040	122	96	50	1	50	179	
11/12/05				3024	121	96	49	1	49	228	
11/13/05				3072	123	96	51	1	51	279	
11/14/05				3000	120	96	48	1	48	327	
11/15/05				3072	123	96	51	1	51	378	
11/17/05				2976	119	96	47	2	98	476	
11/26/05				2984	119	96	47	9	423	899	
12/19/05				3360	101	97	29	23	874	1773	
12/20/05				3234	97	97	25	1	25	1798	
02/27/06				3168	127	96	55	69	2760	4558	
03/04/06				3089	124	96	52	5	267.5	4825.5	
03/31/06				3232	129	96	57	27	1471.5	6297	
04/14/06				3189	96	97	24	14	283.5	6580.5	
05/04/06				3064	92	97	20	20	220	6800.5	
05/30/06				3024	91	97	19	26	507	7307.5	
06/07/06				3024	91	97	19	7	133	7440.5	
06/15/06				3024	93	97	21	8	160	7600.5	
06/28/06				3024	88	97	16	13	240.5	7841	
07/02/06				2995	90	97	18	4	68	7909	
08/04/06				2880	86	97	14	33	528	8437	
							TOTAL	268		8437	

Production Increase 43.72%

SOURCE : (WELL TEST REPORT DATA X COMPANY)

Well 02 Pump # 1892

